TITLE: VEHICULAR GUIDANCE SYSTEM HAVING
    COMPENSATION FOR VARIATIONS IN
    GROUND ELEVATION
INVENTOR: SHUFENG HAN, et. al.
DOCKET #: 16569   /deb, mah

1/4

FIG. 1

TITLE: VEHICULAR GUIDANCE SYSTEM HAVING
COMPENSATION FOR VARIATIONS IN
GROUND ELEVATION
INVENTOR: SHUFENG HAN, et. al.
DOCKET #: 16569   /deb, mah

2/4

S100

ESTABLISH ELEVATION DATA AND CORRESPONDING LOCATION DATA FOR A WORK AREA.

S102

DETERMINE LOCATION DATA, INCLUDING A PARTICULAR LOCATION, OF A VEHICLE WITHIN THE WORK AREA FOR A VEHICLE EXECUTING A PLANNED PATH.

S104

ESTIMATE AT LEAST ONE OF ROLL DATA AND PITCH DATA BASED ON THE DETERMINED PARTICULAR LOCATION AND THE ESTABLISHED ELEVATION DATA (E.G., DIGITAL ELEVATION MAP).

S106

PROVIDE COMPENSATION DATA BASED UPON AT LEAST ONE OF THE FOLLOWING: (1) ESTIMATED ROLL DATA, (2) ESTIMATED PITCH DATA, (3) DETERMINED LOCATION DATA OF THE VEHICLE SUCH THAT THE VEHICLE FOLLOWS A DESIRED PATH.

S108

CONTROL A STEERING SYSTEM WITH THE COMPENSATION DATA AND LOCATION DATA FROM THE LOCATION-DETERMINING RECEIVER SUCH THAT THE VEHICLE TRACKS A PLANNED PATH (E.G., A GENERALLY LINEAR PATH), REGARDLESS OF HILLS OR OTHER FLUCTUATIONS IN THE ELEVATION OF THE TERRAIN.


FIG. 2

TITLE: VEHICULAR GUIDANCE SYSTEM HAVING
COMPENSATION FOR VARIATIONS IN
GROUND ELEVATION
INVENTOR: SHUFENG HAN, et. al.
DOCKET #: 16569   /deb, mah

3/4

FIG. 3

FIG. 4

FIG. 5A

FIG. 5B

TITLE: VEHICULAR GUIDANCE SYSTEM HAVING
COMPENSATION FOR VARIATIONS IN
GROUND ELEVATION
INVENTOR: SHUFENG HAN, et. al.
DOCKET #: 16569   /deb, mah

4/4

FIG. 6

E 1, 1 L 1, 1	E 1, 2 L 1, 2	E 1, 3 L 1, 3	E 1, 4 L 1, 4	E 1, 5 L 1, 5
E 2, 1 L 2, 1	E 2, 2 L 2, 2	E 2, 3 L 2, 3	E 2, 4 L 2, 4	E 2, 5 L 2, 5
E 3, 1 L 3, 1	E 3, 2 L 3, 2	E 3, 3 L 3, 3	E 3, 4 L 3, 4	E 3, 5 L 3, 5
E 4, 1 L 4, 1	E 4, 2 L 4, 2	E 4, 3 L 4, 3	E 4, 4 L 4, 4	E 4, 5 L 4, 5
E 5, 1 L 5, 1	E 5, 2 L 5, 2	E 5, 3 L 5, 3	E 5, 4 L 5, 4	E 5, 5 L 5, 5

Elevation Data (E) vs. Location Data (L)

FIG. 7

E 1, 1 L 1, 1 S 1, 1 A 1, 1	E 1, 2 L 1, 2 S 1, 2 A 1, 2	E 1, 3 L 1, 3 S 1, 3 A 1, 3	E 1, 4 L 1, 4 S 1, 4 A 1, 4	E 1, 5 L 1, 5 S 1, 5 A 1, 5	E 1, 6 L 1, 6 S 1, 6 A 1, 6
E 2, 1 L 2, 1 S 2, 1 A 2, 1	E 2, 2 L 2, 2 S 2, 2 A 2, 2	E 2, 3 L 2, 3 S 2, 3 A 2, 3	E 2, 4 L 2, 4 S 2, 4 A 2, 4	E 2, 5 L 2, 5 S 2, 5 A 2, 5	E 2, 6 L 2, 6 S 2, 6 A 2, 6
E 3, 1 L 3, 1 S 3, 1 A 3, 1	E 3, 2 L 3, 2 S 3, 2 A 3, 2	E 3, 3 L 3, 3 S 3, 3 A 3, 3	E 3, 4 L 3, 4 S 3, 4 A 3, 4	E 3, 5 L 3, 5 S 3, 5 A 3, 5	E 3, 6 L 3, 6 S 3, 6 A 3, 6
E 4, 1 L 4, 1 S 4, 1 A 4, 1	E 4, 2 L 4, 2 S 4, 2 A 4, 2	E 4, 3 L 4, 3 S 4, 3 A 4, 3	E 4, 4 L 4, 4 S 4, 4 A 4, 4	E 4, 5 L 4, 5 S 4, 5 A 4, 5	E 4, 6 L 4, 6 S 4, 6 A 4, 6

Elevation Data, Slope Data and Aspect Data
vs. Location Data